

- 1. SUBSTRATE UV GRADE FUSED SILICA
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 ARCSEC
- 3. COATING (APPLY ACROSS COATING APERTURE)


PERFORMANCE SPECIFICATIONS @ 0° AOI T(AVG): >85% FROM 1600 - 2000nm T(AVG): < 1% FROM 1225 - 1490nm T(ABS): = 50% 1550nm @ 45° AOI


S1: MULTILAYER DIELECTRIC COATING S2: SINGLE LAYER MgF2

4. FINE GRIND SURFACE

- 5. TRANSMITTED WAVEFRONT DISTORTION RMS@ 632.8nm ≤ 1/4 WAVE
- 6. ROHS COMPLIANT







LONGPASS FILTER

Т

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

