## NOTES:

- 1. SUBSTRATE: FUSED SILICA
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 arcsec
- 3. COATING (APPLY ACROSS COATING APERTURE)


S1: METALLIC N.D., OPTICAL DENSITY (abs) = 2.5 FROM 700 - 1100 nm


S2: NONE

## 4. FINE GRIND SURFACE

- POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 6. TRANSMITTED WAVEFRONT DISTORTION P-V @ 632.8nm; ≤ 0.1 λ
- 7. ROHS COMPLIANT







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	S2			
SHAPE	PLANO	PLANO			
SURFACE QUALITY	40-20	40-20			
CLEAR APERTURE	Ø40	Ø40			
COATING APERTURE	Ø40	Ø40			
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED			

				Edmund Optic	S®
	THIRD ANGLE - PROJECTION	$\phi \lhd$	TITLE	OD 2.5, Ø50mm, NIR ND FILTER	
)	ALL DIMS IN	mm	DWG NO	62680	SHEET 1 OF