NOTES:

1. SUBSTRATE: GERMANIUM (GE)

2. COATING

\$1: R(avg) < 3.0% @ 3 - 5µm \$2: R(avg) < 3.0% @ 3 - 5µm


3. EDGES: DIAMOND TURNED


4. CENTERING: 3-5 arcmin

5. RoHS: COMPLIANT

6. ASPHERIC SURFACE DESCRIBED BY THE FOLLOWING EQUATION AND COEFFICIENTS SHOWN IN TABLE BELOW

$$Z_{ASPH}(Y) = \frac{(\sqrt[]{RADIUS})^*Y^2}{1 + \sqrt{1 - (1 + k)^*(\sqrt[]{RADIUS})^2 *Y^2}} + D*Y^2 + E*Y^4 + F*Y^6 + G*Y^8 + H*Y^{10} + J*Y^{12} + L*Y^{14}$$





SECTION A-A

COEFFICIENT TABLE				
COEFFIECIENT	\$1			
k	0			
D	0			
Е	-1.9231801E-005			
F	3.4262654E-008			
G	-5.8182272E-011			
Н	5.3514006E-014			
J	0			
L	0			

SHEET 1 OF 1

FOR INFORMATION ONLY:

PARTS TO THIS DRAWING

DO NOT MANUFACTURE

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	1 31	5/				
SHAPE	CONVEX	CONCAVE	EFL @ 4000nm: 12.5		B [®] Edmund	Ontice
RADIUS	19.413	122.377	BFL @ 4000nm: 11.5	56		$Optiles^{\circ}$
SURFACE ACCURACY	0.3µm	N/A			25mm DIA X 12.5mm FL 3	-5um COATED
SURFACE QUALITY	60-40	60-40	THIRD ANGLE PROJECTION	TITLE	HYBRID GE ASPHERIC LENS	
CLEAR APERTURE	90%	90%			11151115 32 7 (01 112)	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	68259	SHE 1 O