

1. SUBSTRATE

- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 arcsec
- 3. COATING (APPLY ACROSS COATING APERTURE) PERFORMANCE SPECIFICATIONS:

T(avg): >85% FROM 400 - 580nm FOR RANDOM POLARIZATION @ 45° AOI T(abs): >80% FROM 400 - 580nm FOR ALL POLARIZATIONS @ 45° AOI R(avg): >97% FROM 625 - 795nm FOR RANDOM POLARIZATION @ 45° AOI R(abs): >95% FROM 625 - 795nm FOR ALL POLARIZATIONS @ 45° AOI T(abs): = 50% 600nm @ 45° AOI


GDD: 80 ± 30fs² @ 410 - 580nm 120 ± 80fs² @ 400 - 580nm

S1: HARD COATED S2: SINGLE LAYER MgF2

4. FINE GRIND SURFACE

- 5. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 6. TRANSMITTED WAVEFRONT DISTORTION RMS@ 632.8nm $\leq \frac{1}{4} \lambda$
- 7. ROHS COMPLIANT

Т



FOR INFORMATION ONLY:

PARTS TO THIS DRAWING

MANUFACTURE

_____λ

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHORTPASS FILTER

	S1	\$2				Edmund Optics [®]	
SHAPE	PLANO	PLANO					
SURFACE QUALITY	40-20	40-20		TITLE	600nm, 25mm Diameter, Low GDD Dichroic		
CLEAR APERTURE	Ø22.00	Ø22.00	THIRD ANGLE		Shortpass Ultrafast Filter		
COATING APERTURE	Ø24.00	Ø24.00					
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO		SHEET 1 OF 1

