NOTES:

SUBSTRATE

Sapphire (Al2O3) Axis Orientation: Random


2. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE

3. SURFACE \$2 TO BE PARALLEL TO SURFACE \$1 TO WITHIN ≤3.5 ARCMIN



FINE GRIND SURFACE

5. Rohs Compliant



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2			PI	Edmund Optic	S ®
SHAPE	PLANO	PLANO					
SURFACE QUALITY	80 - 50	80 - 50		1		50.8mm Dia., 3.18mm Thick, Uncoate	<u>ad</u>
SURFACE FLATNESS	2λ (typical)	2λ (typical)	THIRD ANGLE PROJECTION		TITLE	Sapphire Window	
CLEAR APERTURE	Ø 45.72	Ø 45.72		1		Cappillio Villao	CLIEFT
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	45817	SHEET 1 OF 1