
## NOTES:


- 1. SUBSTRATE: CRYSTAL QUARTZ
- COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: R(ABS) <0.25% @ 532nm DAMAGE THRESHOLD: 3.5 J/cm<sup>2</sup> @ 10ns @ 1064nm


FOR INFORMATION ON

DO NOT MANUFACTURE PARTS TO THIS DRAWING

- 3. SURFACE \$1 TO BE PARALLEL TO SURFACE \$2 TO WITHIN <0.5 arcsec
- 4. RETARDANCE:  $\lambda/4 \pm \lambda/200$
- 5. TRANSMITTED WAVEFRONT:  $\lambda/10$  FOR CENTRAL 80% OF CLEAR APERTURE
- 6. RoHS COMPLIANT







SECTION A-A

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY



	<u>\$1</u>	\$2			TITLE	76.2mm DIA. 532nm λ/4 QUARTZ WAVEPLATE ZERO ORDER	
CLEAR APERTURE	Ø46.0	Ø46.0					SHEET
SURFACE QUALITY	10-5	10-5	ALL DIMS IN	mm	DWG NO	85059	1 OF 1