





FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	92
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	520
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	435±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	370
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø25.4mm, GG-435 LONGPASS FILTER

DWG NO

32752

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	99
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	420
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	309±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	260
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

 **Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø25.4mm, N-WG-305 LONGPASS FILTER

DWG NO

45066

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	92
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	530
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	455±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	390
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 **Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø25.4mm, GG-455 LONGPASS FILTER

DWG NO

45068

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	99
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	400
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	300±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	250
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø25.4mm, N-WG-295 LONGPASS FILTER

DWG NO

46417

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	99
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	470
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	320±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	280
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED



ALL DIMS IN

mm

TITLE





Ø25.4mm, N-WG-320 LONGPASS FILTER

DWG NO

46420

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	480
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	400±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	340
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø25.4mm, GG-400 LONGPASS FILTER

DWG NO

46423

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	530
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	420±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	360
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø25.4mm, GG-420 LONGPASS FILTER

DWG NO

46426

SHEET
1 OF 1

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	400
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	370±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	323
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED



TITLE	Ø25.4mm, L-37 LONGPASS FILTER		
DWG NO	66049	SHEET 1 OF 1	