





NOTES:

- 1. SUBSTRATE:  
HOYA GLASS: ND-70
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN <0.02mm
- 3. FINE GRIND SURFACE
- 4. COATING SPECIFICATION:  
S1 & S2:R(AVG) ≤0.4% @ 425 - 675nm
- 5. OPTICAL DENSITY: 0.1 +/- 0.03 @400-700nm
- 6. TRANSMISSION (%): 79.0% AVERAGE FROM 400-700nm
- 7. ROHS COMPLIANT

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

**Edmund Optics®**

	S1	S2	THIRD ANGLE PROJECTION				TITLE		0.1 OD, 50mm DIA., VIS 0° COATED, ABSORPTIVE ND FILTER	
SHAPE	PLANO	PLANO								
SURFACE QUALITY	80-50	80-50	ALL DIMS IN				DWG NO		13112	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED								
			mm						SHEET 1 OF 1	