NOTES:


- 1. SUBSTRATE: HOYA GLASS: ND-40
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN <0.02mm


3. FINE GRIND SURFACE


- 4. COATING SPECIFICATION: S1 & S2:R(AVG) ≤0.4% @ 425 - 675nm
- 5. OPTICAL DENSITY: 0.4 +/-0.05 @400-700nm
- 6. TRANSMISSION (%): 40.0% AVERAGE FROM 400-700nm
- 7. ROHS COMPLIANT

NEUTRAL DENSITY FILTER

Т







FORMATION ONL

PARTS TO THIS DRAWING

RE

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

			_			Edmund	Optics [®]
	S1	S2				0.4 OD, 50mm DIA., VIS 0° COATED,	
SHAPE	PLANO	PLANO			TITLE	ABSORPTIVE ND FILTER	
SURFACE QUALITY	80-50	80-50					
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	13116	SHEET 1 OF 1
8						·	· · · · · · · · · · · · · · · · · · ·