



- NOTES:
- 1. SUBSTRATE:
Silicon (Si)
 - 2. PARALLELISM:
SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO <3 ARCMIN
 - 3. COATING:
S1 & S2: R(AVG) <0.5% @ 3 - 5µm
R(ABS) <1.5% @ 3 - 5µm

4. FINE GRIND SURFACE


5. ROHS COMPLIANT




**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	40-20	40-20
SURFACE FLATNESS	2λ	2λ
CLEAR APERTURE	Ø21.59	Ø21.59
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED

**Edmund Optics®**

THIRD ANGLE
PROJECTION



TITLE

25.4mm Dia., 2mm Thick, 3-5µm BBAR
Coated, ISP Optics Silicon (Si) Window

ALL DIMS IN

mm

DWG NO

24639

SHEET

121 OF 175