NOTES:

1. SUBSTRATE:

Zinc Selenide (ZnSe), CVD Grade

2. CENTERING TOLERANCE:


<3 ARCMIN

3. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE



5. FOCAL LENGTH TOLERANCE: ±2%

6. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

				500.0	DIMENSIONS ARE FOR REFERENCE ONLY	
	\$1	S2	EFL @ 10.6µm	500.0		(R)
SHAPE	CONVEX	PLANO	BFL @	10 / 5		Edmund Optics®
RADIUS	698.2	INFINITY	10.6µm	496.5		
IRREGULARITY AT 10.6µm	λ/20	λ/20	THIRD ANGLE PROJECTION		- TITLE	50.8mm Dia. x 500mm FL, Uncoated, ISP Optics ZnSe Plano-Convex Lens
SURFACE QUALITY	60-40	60-40				
CLEAR APERTURE	ø45.72	ø45.72		 		·
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	24967 SHEET 1 OF 1