NOTES

- SUBSTRATE: N-BK7
- 2. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: NONE


3. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN <1 ARCMIN




FINE GRIND SURFACE

- 5. TRANSMITTED WAVEFRONT DISTORTION: ≤ 0.25 WAVE @632.8nm
- Rohs Compliant
- 7. TRANSMITTED WAVEFRONT (P-V):

 $\lambda/4$ (per inch over clear aperture)





FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

29302

	\$1	\$2	
SHAPE	PLANO	PLANO	
SURFACE QUALITY	60 - 40	60 - 40	
CLEAR APERTURE	22.68 x 32.04	22.68 x 32.04	
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	

THIRD ANGLE PROJECTION	ϕ	TITLE	
ALL DIMS IN	mm	DWG NO	

Edmund Optics®	
25.2 x 35.6mm, 1mm Thick, Uncoated λ/4 N-BK7 Window	

SHEET

1 OF 1