




- NOTES:
- 1. SUBSTRATE:  
FUSED SILICA CORNING 7980
  - 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 ARCMIN
  - 3. COATING (APPLY ACROSS CLEAR APERTURE)  
S1&S2: VIS-EXT (350-700nm)  
Ravg ≤0.5% @ 350 - 700nm @ 0° AOI



4. SIX SIDEWALLS:
5. ROHS COMPLIANT



**FOR INFORMATION ONLY:**  
**DO NOT MANUFACTURE**  
**PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

**EO**® **Edmund Optics®**

	S1	S2	<div>THIRD ANGLE PROJECTION</div>		TITLE 5mm Aperture x 30mm L, VIS-EXT Coated, High NA, Fused Silica Light Pipe	
SHAPE	PLANO	PLANO				
SURFACE FLATNESS	1λ	1λ	ALL DIMS IN      mm		DWG NO 70723	SHEET 10 OF 21
SURFACE QUALITY	60 - 40	60 - 40				